

Sr. No.	Description	Unit	Rate (in Rs.) 2007-2008	Rate (in Rs.) 2008-2009
	xii) 1300 mm.	RMT	12,490.00	
	xiii) 1400 mm.	RMT	13,575.00	
	xiv) 1500 mm.	RMT	14,657.00	
	xv) 1600 mm.	RMT	16,021.00	
	xvi) 1700 mm.	RMT	17,161.00	
	xvii) 1800 mm.	RMT	18,526.00	
	b) Test Pressure 6 kg / Sqcm			
	i) 350 mm.	RMT	1,958.00	
	ii) 400 mm.	RMT	2,171.00	
	iii) 450 mm.	RMT	2,372.00	
	iv) 500 mm.	RMT	2,668.00	
	v) 600 mm.	RMT	3,502.00	
	vi) 700 mm.	RMT	4,267.00	
	vii) 800 mm.	RMT	5,068.00	
	viii) 900 mm.	RMT	6,119.00	
	ix) 1000 mm.	RMT	7,134.00	
	x) 1100 mm.	RMT	10,250.00	
	xi) 1200 mm.	RMT	11,314.00	
	xii) 1300 mm.	RMT	12,495.00	
	xiii) 1400 mm.	RMT	13,580.00	
	xiv) 1500 mm.	RMT	14,662.00	
	xv) 1600 mm.	RMT	16,026.00	
	xvi) 1700 mm.	RMT	17,166.00	
	xvii) 1800 mm.	RMT	18,531.00	

Sr. No.	Description	Unit	Rate (in Rs.) 2007-2008	Rate (in Rs.) 2008-2009
1	2	3	4	5
	c) Test Pressure 8 kg / Sqcm		Without E.D.	Without E.D.
	i) 350 mm.	RMT	1,961.00	
	ii) 400 mm.	RMT	2,174.00	
	iii) 450 mm.	RMT	2,374.00	
	iv) 500 mm.	RMT	2,677.00	
	v) 600 mm.	RMT	3,511.00	
	vi) 700 mm.	RMT	4,276.00	
	vii) 800 mm.	RMT	5,077.00	
	viii) 900 mm.	RMT	6,128.00	
	ix) 1000 mm.	RMT	7,143.00	
	x) 1100 mm.	RMT	10,259.00	
	xi) 1200 mm.	RMT	11,323.00	
	xii) 1300 mm.	RMT	12,503.00	
	xiii) 1400 mm.	RMT	13,589.00	
	xiv) 1500 mm.	RMT	14,671.00	
	xv) 1600 mm.	RMT	16,035.00	
	xvi) 1700 mm.	RMT	17,175.00	
	xvii) 1800 mm.	RMT	18,540.00	
	d) Test Pressure 10 kg / Sqcm			
	i) 350 mm.	RMT	1,964.00	
	ii) 400 mm.	RMT	2,177.00	

**SECTION - I : BAR WRAPPED STEEL
CYLINDER PIPES**

Sr. No.	Description	Unit	Rate (in Rs.) 2007-2008	Rate (in Rs.) 2008-2009
1	2	3	4	5
			Without E.D.	Without E.D.
	iii) 450 mm.	RMT	2,378.00	
	iv) 500 mm.	RMT	2,689.00	
	v) 600 mm.	RMT	3,523.00	
	vi) 700 mm.	RMT	4,288.00	
	vii) 800 mm.	RMT	5,089.00	
	viii) 900 mm.	RMT	6,140.00	
	ix) 1000 mm.	RMT	7,155.00	
	x) 1100 mm.	RMT	10,271.00	
	xi) 1200 mm.	RMT	11,335.00	
	xii) 1300 mm.	RMT	12,515.00	
	xiii) 1400 mm.	RMT	13,601.00	
	xiv) 1500 mm.	RMT	14,683.00	
	xv) 1600 mm.	RMT	16,047.00	
	xvi) 1700 mm.	RMT	17,187.00	
	xvii) 1800 mm.	RMT	18,552.00	
	e) Test Pressure 12 kg / Sqcm			
	i) 350 mm.	RMT	1,967.00	
	ii) 400 mm.	RMT	2,180.00	
	iii) 450 mm.	RMT	2,381.00	
	iv) 500 mm.	RMT	2,705.00	
	v) 600 mm.	RMT	3,539.00	
	vi) 700 mm.	RMT	4,304.00	
	vii) 800 mm.	RMT	5,376.00	

**SECTION - I: BAR WRAPPED STEEL
CYLINDER PIPES**

Sr. No.	Description	Unit	Rate (in Rs.) 2007-2008	Rate (in Rs.) 2008-2009
1	2	3	4	5
			Without E.D.	Without E.D.
	viii) 900 mm.	RMT	6,157.00	
	ix) 1000 mm.	RMT	7,325.00	
	x) 1100 mm.	RMT	10,287.00	
	xi) 1200 mm.	RMT	11,351.00	
	xii) 1300 mm.	RMT	12,531.00	
	xiii) 1400 mm.	RMT	13,617.00	
	xiv) 1500 mm.	RMT	14,869.00	
	xv) 1600 mm.	RMT	16,743.00	
	xvi) 1700 mm.	RMT	18,333.00	
	xvii) 1800 mm.	RMT	20,685.00	
	f) Working Pressure 14 kg / Sqcm			
	i) 350 mm.	RMT	1,970.00	
	ii) 400 mm.	RMT	2,183.00	
	iii) 450 mm.	RMT	2,391.00	
	iv) 500 mm.	RMT	2,742.00	
	v) 600 mm.	RMT	3,589.00	
	vi) 700 mm.	RMT	4,746.00	
	vii) 800 mm.	RMT	5,778.00	
	viii) 900 mm.	RMT	6,822.00	
	ix) 1000 mm.	RMT	8,165.00	
	x) 1100 mm.	RMT	10,347.00	
	xi) 1200 mm.	RMT	11,484.00	
	xii) 1300 mm.	RMT	13,181.00	
	xiii) 1400 mm.	RMT	14,868.00	
	xiv) 1500 mm.	RMT	16,797.00	
	xv) 1600 mm.	RMT	19,043.00	
	xvi) 1700 mm.	RMT	21,153.00	
	xvii) 1800 mm.	RMT	23,403.00	

**SECTION - I : BAR WRAPPED STEEL
CYLINDER PIPES**

Sr. No.	Description	Unit	Rate (in Rs.) 2007-2008	Rate (in Rs.) 2008-2009
1	2	3	4	5
	g) Working Pressure 16 kg / Sqcm		Without E.D.	Without E.D.
	i) 350 mm.	RMT	1,973.00	
	ii) 400 mm.	RMT	2,186.00	
	iii) 450 mm.	RMT	2,472.00	
	iv) 500 mm.	RMT	2,960.00	
	v) 600 mm.	RMT	3,876.00	
	vi) 700 mm.	RMT	5,169.00	
	vii) 800 mm.	RMT	6,314.00	
	viii) 900 mm.	RMT	7,506.00	
	ix) 1000 mm.	RMT	9,056.00	
	x) 1100 mm.	RMT	10,937.00	
	xi) 1200 mm.	RMT	12,692.00	
	xii) 1300 mm.	RMT	14,726.00	
	xiii) 1400 mm.	RMT	16,596.00	
	xiv) 1500 mm.	RMT	18,784.00	
	xv) 1600 mm.	RMT	21,193.00	
	xvi) 1700 mm.	RMT	23,765.00	
	xvii) 1800 mm.	RMT	26,077.00	
	h) Working Pressure 18 kg / Sqcm			
	i) 350 mm.	RMT	1,976.00	
	ii) 400 mm.	RMT	2,213.00	

**SECTION - I : BAR WRAPPED STEEL
CYLINDER PIPES**

Sr. No.	Description	Unit	Rate (in Rs.) 2007-2008	Rate (in Rs.) 2008-2009
1	2	3	4	5
			Without E.D.	Without E.D.
	iii) 450 mm.	RMT	2,559.00	
	iv) 500 mm.	RMT	3,057.00	
	v) 600 mm.	RMT	4,034.00	
	vi) 700 mm.	RMT	5,487.00	
	vii) 800 mm.	RMT	6,588.00	
	viii) 900 mm.	RMT	7,840.00	
	ix) 1000 mm.	RMT	9,494.00	
	x) 1100 mm.	RMT	11,451.00	
	xi) 1200 mm.	RMT	13,289.00	
	xii) 1300 mm.	RMT	15,380.00	
	xiii) 1400 mm.	RMT	17,576.00	
	xiv) 1500 mm.	RMT	19,664.00	
	xv) 1600 mm.	RMT	22,633.00	
	xvi) 1700 mm.	RMT	25,087.00	
	xvii) 1800 mm.	RMT	27,622.00	
	i) Working Pressure 20 kg / Sqcm			
	i) 350 mm.	RMT	2,137.00	
	ii) 400 mm.	RMT	2,348.00	
	iii) 450 mm.	RMT	2,721.00	
	iv) 500 mm.	RMT	3,275.00	
	v) 600 mm.	RMT	4,321.00	
	vi) 700 mm.	RMT	5,806.00	
	vii) 800 mm.	RMT	7,216.00	

**SECTION - I : BAR WRAPPED STEEL
CYLINDER PIPES**

Sr. No.	Description	Unit	Rate (in Rs.) 2007-2008	Rate (in Rs.) 2008-2009
1	2	3	4	5
	viii) 900 mm.	RMT	8,647.00	
	ix) 1000 mm.	RMT	10,406.00	
	x) 1100 mm.	RMT	12,575.00	
	xi) 1200 mm.	RMT	14,562.00	
	xii) 1300 mm.	RMT	18,699.00	
	xiii) 1400 mm.	RMT	19,471.00	
	xiv) 1500 mm.	RMT	21,243.00	
	xv) 1600 mm.	RMT	23,883.00	
	xvi) 1700 mm.	RMT	26,816.00	
	xvii) 1800 mm.	RMT	29,372.00	

Notes :

- 1) For lowering, laying & pouring of cement mortar in the field on joints (after laying and welding), rates as per P. S. C. pipes lowering, laying and jointing shall be adopted.
- 2) For field welding rates applicable for similar welding in M. S. pipes given in that section shall be adopted.
- 3) Whenever manufacturer is separate and contractor for lowering laying, jointing and testing is separate, the principal contractor shall be enter into an agreement with B. W. S. C. pipe manufacturer for satisfactory manufacturing transprting, lowering, laying, jointing and testing of pipes.

This footnote shall appear into the tender condition.

- 4) No negative tolerance shall be accepted for the M. S. Shell thickness of B. W. S. C. pipes over the thickness mentioned in E. N. 641 of AWWAAC 303.

**SECTION - I : BAR WRAPPED STEEL
CYLINDER PIPES**